§ 464.24

²These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

(f) Melting Furnace Scrubber Operations.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm³ (pounds per billion SCF) of air scrubbed	
Copper (T) Lead (T) Zinc (T)	1.81 1.25 1.79	0.988 0.612 0.673
Total phenols	2.02	0.706

	Maximum for any 1 day	Maximum for monthly average	Annual average 1
Copper (T) Lead (T) Zinc (T) Total phenols	(mg/l) ² 0.77 0.53 0.76 0.86	(mg/l) ² 0.42 0.26 0.29 0.3	0.4 0.353 0.424 0.471

¹kg/62.3 million Sm³ (pounds per billion SCF) of air scrubbed.

²These concentrations must be multiplied by the ratio of

(g) Mold Cooling Operations.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/1,000 kkg (pounds per million pounds) of metal poure		
Copper (T) Lead (T) Zinc (T)	0.392 0.27 0.387	0.214 0.132 0.148	

	Maximum for any 1 day	Maximum for monthly average	Annual av- erage 1
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.0865
Lead (T)	0.53	0.26	0.0763
Zinc (T)	0.76	0.29	0.0916

¹ kg/1,000 kkg (pounds per million pounds) of metal poured.
² These concentrations must be multiplied by the ratio of (61/k) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

§ 464.24 New source performance standards.

Any new source subject to this subpart must achieve the following new source performance standards (NSPS), except that non-continuous dischargers shall not be subject to the maximum day and maximum for monthly average mass (kg/1,000 kkg or lb/million lb of metal poured; kg/62.3 million Sm3 or lb/ billion SCF of air scrubbed) effluent standards for copper, lead, zinc, total phenols, oil and grease, and TSS. For non-continuous dischargers, annual average mass standards and maximum day and maximum for monthly average concentration (mg/l) standards shall apply. Concentration standards and annual average mass standards shall only apply to non-continuous dischargers.

(a) Casting Quench Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per lion pounds) of m poured	
Copper (T)	0.0307	0.0168
Lead (T)	0.0211	0.0104
Zinc (T)	0.0303	0.0116
Oil and grease	1.2	0.399
TSS	0.598	0.479
pH	(¹) (¹)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.0068
Lead (T)	0.53	0.26	0.006
Zinc (T)	0.76	0.29	0.0072
Oil and grease	30	10	0.199
TSS	15	12	0.104
pH	(3)	(3)	(3)

 $^{^1\,\}text{kg/1,000}$ kkg (pounds per million pounds) of metal poured. 2 These concentrations must be multiplied by the ratio of (4.8/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

(b) Direct Chill Casting Operations.

²These concentrations must be multiplied by the ratio of (0.282/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

³ Within the range of 7.0 to 10.0 at all times.

Environmental Protection Agency

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average	
	kg/1,000 kkg (pounds per million pounds) of metal poure		
Copper (T) Lead (T)	0.928 0.639	0.506 0.314	
Zinc (T)	0.039	0.314	
Oil and grease	36.2	12.1	
TSS	18.1	14.5	
pH	(1)	(1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age ¹
Copper (T)	(mg/l) ² 0.77 0.53 0.76 30 15 (³)	(mg/l) ² 0.42 0.26 0.29 10 12 (3)	0.205 0.181 0.217 6.03 3.13 (3)

¹kg/1,000 kkg (pounds per million pounds) of metal poured.
²These concentrations must be multiplied by the ratio of (145/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.
³Within the range of 7.0 to 10.0 at all times.

(c) Dust Collection Scrubber Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		Sm ³ (pounds of air scrubbed
Copper (T)	0.553 0.38 0.545 0.617 21.5 10.8 (1)	0.301 0.187 0.208 0.215 7.18 8.61 (1)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average 1
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.122
Lead (T)	0.53	0.26	0.108
Zinc (T)	0.76	0.29	0.129
Total phenols	0.86	0.3	0.144
Oil and grease	30	10	3.59
TSS	15	12	1.87
pH	(3)	(3)	(3)

¹ kg/62.3 million Sm³ (pounds per billion SCF) of air

(d) Grinding Scrubber Operations. No discharge of process wastewater pollutants to navigable waters.

(e) Investment Casting.

NSPS

Pollutant or pollutant property	Maximum for any 1 day Maximum monthly a age	
	kg/1,000 kkg (p lions pounds) o	oounds per mil- of metal poured
Copper (T)	8.48 5.84 8.37 330 165 (¹)	4.63 2.86 3.19 110 132 (¹)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
Copper (T)	(mg/l) ² 0.77 0.53 0.76 30 15 (3)	mg/l) ² 0.42 0.26 0.29 10 12 (3)	1.87 1.65 1.98 55.1 28.6 (3)

¹kg/1,000 kkg (pounds per million pounds) of metal poured.
²These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.
³ Within the range of 7.0 to 10.0 at all times.

(f) Melting Furnace Scrubber Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/62.3 million Sm ³ (pounds pe billion SCF) of air scrubbed	
Copper (T) Lead (T) Zinc (T) Total phenols Oil and grease TSS pH	1.81 1.25 1.79 2.02 70.6 35.3 (1)	0.988 0.612 0.673 0.706 23.5 28.2 (1)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
Copper (T)	(mg/l) ² 0.77 0.53 0.76 0.86 30 15 (³)	(mg/l) ² 0.42 0.26 0.29 0.3 10 12 (³)	0.4 0.353 0.424 0.471 11.8 6.12 (3)

¹ kg/62.3 Sm³ (pounds per billion SCF) of air scrubbed.

^{&#}x27;kg/b2.3 million Sm³ (pounds per billion SCF) of air scrubbed.

2 These concentrations must be multiplied by the ratio of (0.086/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

3 Within the range of 7.0 to 10.0 at all times.

§ 464.25

²These concentrations must be multiplied by the ratio of (0.282/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

³ Within the range of 7.0 to 10.0 at all times.

(g) Mold Cooling Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T) Oil and grease TSS	0.392 0.27 0.387 15.3 7.63	0.214 0.132 0.148 5.09 6.11
pH	(1)	(1)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age ¹
	(mg/1) ²	(mg/1) ²	
Copper (T)	0.77	0.42	0.0865
Lead (T)	0.53	0.26	0.0763
Zinc (T)	0.76	0.29	0.0916
Oil and grease	30	10	2.54
TSS	15	12	1.32
pH	(3)	(3)	(3)

¹kg/1,000 kkg (pounds per million pound) of metal poured.
² These concentrations must be multiplied by the ratio of (61/k) where x is the actual normalized process waste-water flow (in gallons per 1,000 pounds of metal poured) for a specific plant.
³ Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

§464.25 Pretreatment standards for existing sources.

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

(a) Casting Quench Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1000 kkg (pounds per m lion pounds) of met poured	
Copper (T)	0.0307 0.0211 0.0303 0.0335	0.0168 0.0104 0.0116 0.0109
monitoring)	1.2	0.399

(b) Direct Chill Casting Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T)	0.928 0.639 0.916	0.506 0.314 0.35

(c) Dust Collection Scrubber Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/62.3 million Sm ³ (pounds pe billion SCF) of air scrubbed	
Copper (T)	0.552 0.38 0.545 0.617 1.65	0.301 0.187 0.208 0.215 0.54 7.18

(d) Grinding Scrubber Operations. No discharge of process wastewater pollutants to a POTW.

(e) Investment Casting.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T)	8.48	4.63
Lead (T)	5.84	2.86
Zinc (T)	8.37	3.19
TTO	25.4	8.29
Oil and grease for alternate		
monitoring)	330	110